

WEST Search History for Application 10799363

Creation Date: 2010022411:55

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
(different or distinguish\$3) with (send\$3 or rout\$3) near step	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(business near partner or customer) with (context or routing) near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
routing with (directory or registry or configuration) with (context or routing) near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
third near part\$3 with (context or routing) near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
defin\$3 with (context or routing) near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(defin\$3 with (context or routing) near object) and @ad<20040312	PGPB, USPT, USOC,	OR	YES		02-24-2010

	EPAB, JPAB, DWPI, TDBD				
(defin\$3 with (context or routing) near object and @ad<20040312) and (rout\$3 or send\$3 or pass\$3) near messages	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(trad\$5 or business) near partner and (context or routing) abj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(trad\$5 or business) near partner and (context or routing) adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((trad\$5 or business) near partner and (context or routing) adj object) and @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
'20050021838'.pn.	PGPB	OR	YES		02-24-2010
'20030041178'.pn.	PGPB	OR	YES		02-24-2010
'20030041178'.pn.	PGPB	OR	YES		02-24-2010
'6779184'.pn.	USPT	OR	YES		02-24-2010
'6538996'.pn.	USPT	OR	YES		02-24-2010
'6256676'.pn.	USPT	OR	YES		02-24-2010
'6021443'.pn.	USPT	OR	YES		02-24-2010
repository with (context or routing) adj object	PGPB, USPT, USOC,	OR	YES		02-24-2010

	EPAB, JPAB, DWPI, TDBD				
repository with (context or routing) adj (rule or object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(repository with (context or routing) adj (rule or object)) and @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(707/10).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(719/313 719/315 719/316).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((719/313 719/315 719/316).ccls.) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.) or ((707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010

((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)).ab, ti, clm.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
rules with (send\$3 or rout\$3) near message	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(rules with (send\$3 or rout\$3) near message) and (((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
access\$3 with (message or payload)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
((((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (access\$3 with (message or payload)))	PGPB, USPT, USOC, EPAB,	OR	YES		02-24-2010

	JPAB, DWPI, TDBD				
((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload)) and access\$3 with (message or payload)) and (rules with (send\$3 or rout\$3) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (rules with (send\$3 or rout\$3) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) and (((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
Context near objects with access\$3 with (message or payload)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
Context near objects with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
Context near objects same (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
		OR	YES		02-24-2010

(((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload)) and (name and namespace))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
message near context with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
message near (information or data or content) with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
message near (object or information or data or content) with repository	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(message near (object or information or data or content) with repository) and (rules with (send\$3 or rout\$3) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)	PGPB, USPT, USOC, EPAB,	OR	YES		02-24-2010

	JPAB, DWPI, TDBD				
((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)) and (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3) and (name and namespace)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(pass\$3 or send\$3 or rout\$3) near message with (Context near objects)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
namespace with (Context near objects)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
namespace with (Context or message) near (objects or information or data)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
namespace with Context with (payload or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
Context with (payload or message)		OR	YES		02-24-2010

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(Context with (payload or message)) and ((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(Context with (payload or message) and (pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
((api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
rules near (send\$3 or rout\$3) and ((api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3) and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3))	PGPB, USPT, USOC, EPAB,	OR	YES		02-24-2010

	JPAB, DWPI, TDBD				
((api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3))) and rules near (send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3)) and rules near (send\$3 or rout\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(Context near objects) with (payload or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((Context near objects) with (payload or message)) and ((payload or message) near pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((Context near objects) with (payload or message)) and (payload or message) near (pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
routing adj (rule or object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
		OR	YES		02-24-2010

(routing adj (rule or object)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(routing adj (rule or object) and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) and @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(routing adj (rule or object) and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls. and @ad<20040312) and (payload or message) near (pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(trad\$5 or business) near partner and (routing adj (rule or object) and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls. and @ad<20040312 and (payload or message) near (pass\$3 or send\$3 or rout\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
rout\$3 near script	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(rout\$3 near script) and (payload or message) near (pass\$3 or send\$3 or rout\$3) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(rout\$3 near script and (payload or message) near (pass\$3 or send\$3 or rout\$3) and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010

709/219).ccls. or (707/10).ccls.) and @ad<20040312	JPAB, DWPI, TDBD				
(routing near (object or script)) with ("same" or different) near (interface or api)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(payload or message) near (pass\$3 or send\$3 or rout\$3) with (routing or context) near (rule or script or object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((payload or message) near (pass\$3 or send\$3 or rout\$3) with (routing or context) near (rule or script or object)) and @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((payload or message) near (pass\$3 or send\$3 or rout\$3) with (routing or context) near (rule or script or object) and @ad<20040312) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(api or application near interface or abstract\$3 or transparen\$2) with (message near (content or data) or payload)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(context or routing) adj object with message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
		OR	YES		02-24-2010

((context or routing) adj object with message) and @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
((context or routing) adj object with message and @ad<20040312) and (payload or message) near (pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
(access\$3 with (message or payload)).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
((access\$3 with (message or payload)).ab, ti.) and (api or application near interface or abstract\$3 or transparen\$2) with (message or payload)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
((access\$3 with (message or payload)).ab, ti. and (api or application near interface or abstract\$3 or transparen\$2) with (message or payload)) and @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
((access\$3 with (message or payload)).ab, ti. and (api or application near interface or abstract\$3 or transparen\$2) with (message or payload) and @ad<20040312) and ((719/313 I719/315 I719/316).cccls. or (709/201 I709/202 I709/203 I709/204 I709/205 I709/206 I709/207 I709/217 I709/218 I709/219).cccls. or (707/10).cccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		02-24-2010
"BEUNINGS-FRANK"	PGPB, USPT, USOC, EPAB,	OR	YES		02-24-2010

	JPAB, DWPI, TDBD				
"HILLENBRAND-THEA"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
"SCHLARB-UWE"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
(719/315).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((719/315).ccls.) and @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((719/315).ccls. and @ad<20040312) and (payload or message) near (pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010
((719/315).ccls. and @ad<20040312 and (payload or message) near (pass\$3 or send\$3 or rout\$3)) and (trad\$5 or business) near partner	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-24-2010